NOTCH
Manufacturing, Inc.

TINE FORKS

TINE FORK

Available with 32" or 39" removable, forged, tapered tines, 1¾" diameter

TF32 32" Tines
Sizes: 60", 68", 76" & 84"

TF39 39" Tines
Sizes: 60", 68", 76", 84", 92" & 100"

Tapered sleeve held tines are superior to other tines for strength, deflection, tightness, and longevity of bucket

Constructed with alloy steel

Universal and Euro attachments standard, other attachments available

TINE FORK GRAPPLE

Tine Fork base unit, with single grapple claw

TFG32 44" grapple opening
TFG39 53" grapple opening

Two 2" hydraulic cylinders with casted greasable ends

Heat treated cylinder pins for strength and wearability

Cylinder covers protect cylinder and hoses

1¼" Pivot pins with bushings, greasable at all pivot points

TINE FORK DUAL GRAPPLE

Tine Fork base unit, with dual grapple claws for better handling of uneven material

TFDG32 44" grapple opening
TFDG39 53" grapple opening

Two 2" hydraulic cylinders with casted greasable ends

Heat treated cylinder pins for strength and wearability

Cylinder covers protect cylinder and hoses

1¼" Pivot pins with bushings, greasable at all pivot points

Dual independent grapples operate consecutively

INDUSTRIAL TINE FORK DUAL GRAPPLE - ITFDG

Sizes: 66", 72" & 80"

40" Removable, tapered tines, 2" diameter

54" Grapple opening

Tines are forged, tapered tines and are removable

Constructed with alloy & high tensile steel

Dual independent grapples operate consecutively

Two 2½" hydraulic cylinders with casted greasable ends

Heat treated cylinder pins for strength and wearability

Cylinder covers protect cylinder and hoses

1¾" Pivot pins with bushings, greaseable at all pivot points

Notch Manufacturing reserves the right to change its products or their specifications at any time without notice or obligation.

Notch Manufacturing Inc.
23664 State Hwy. 4 • Lake Henry, MN 56362 • 320-243-7248 • Fax: 320-243-7245 • www.notchmfginc.com